

BBBBBBBBBBBB		AAAAAAAAAA		DDDDDDDDDD	
BBBBBBBBBBBB		AAAAAAAAAA		DDDDDDDDDD	
BBBBBBBBBBBB		AAAAAAAAAA		DDDDDDDDDD	
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBBBBBBBBBBB		AAA	AAA	DDD	DDD
BBBBBBBBBBBB		AAA	AAA	DDD	DDD
BBBBBBBBBBBB		AAA	AAA	DDD	DDD
BBB	BBB	AAAAAAAAAAAA		DDD	DDD
BBB	BBB	AAAAAAAAAAAA		DDD	DDD
BBB	BBB	AAAAAAAAAAAA		DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBB	BBB	AAA	AAA	DDD	DDD
BBBBBBBBBBBB		AAA	AAA	DDDDDDDDDD	
BBBBBBBBBBBB		AAA	AAA	DDDDDDDDDD	
BBBBBBBBBBBB		AAA	AAA	DDDDDDDDDD	

• • • •

```

LL               IIIII
LL               IIIII
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LL               III
LLLLLLLLLLLLLL  IIIII
LLLLLLLLLLLLLL  IIIII

                SSSSSSSS
                SSSSSSSS
                SS
                SS
                SS
                SS
                SSSSSS
                SSSSSS
                SS
                SS
                SS
                SS
                SSSSSSSS
                SSSSSSSS

```

N 13  
15-SEP-1984 23:45  
14-SEP-1984 11:54

VAX/VMS Command Definition Utility (V4-001)  
DISK\$VMSMASTER:[BAD.SRC]ANALYZCMD.CLD;1 (4)

Page 1

```
1 module      analyzcmd
2 ++
3
4 Version:    'V04-000'
5
6 Stand Alone BAD ($ ANALYZE/MEDIA) command line syntax definition.
7
8 NOTE: This file must be kept consistent with [CLD.SRC]ANALYZE.CLD !!
9
10 --
11 define type exer_keywords
12     keyword FULL
13     keyword KEEP, negatable
14     keyword PATTERN, value (list)
15
16 define type show_keywords
17     keyword BEFORE, negatable
18     keyword AFTER, negatable
19
20 define syntax analyze_media
21     parameter p1, label=device, prompt="Device", value (required, type=$device)
22
23     qualifier BAD BLOCKS, nonnegatable, value (list)
24     qualifier EXERCISE, value (list, type=exer_keywords)
25     qualifier LOG
26     qualifier OUTPUT, value (default="SYS$OUTPUT", type=$outfile)
27     qualifier RETRY
28     qualifier SHOW, nonnegatable, value (list, type=show_keywords)
29
30 define verb ANALYZE
31     routine bad$sta_init
32     qualifier MEDIA, nonnegatable, syntax=analyze_media
```

\$ SET COMMAND/OBJECT=OBJ\$:ANALYZCMD/LISTING=LIS\$:ANALYZCMD MSRC\$:ANALYZCMD



0017 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

BADBLOCKS  
LIS

BAD

STABAD  
MAP

BADDATA  
LIS

ANALYZBAD  
MAP

ANALYZCMD  
CLD

BADDEF  
SDL

WRITESAVE  
LIS

BADINT  
LIS

ANALYZCMD  
LIS